






MARK	DATE	REVISION	REVISER	APP .BY
①				
②				
③				

MODEL NO		QAP125BZ			
MATERIAL		HOUSING-ABS			
		RESONANCE CHAMBER-ABS			
		-			
COLOR OF HOUSING		MAKER STANDARD			
USE VOLT.	CURRNET	DC12V		MAX. 0.300A	
		DC24V		MAX. 0.150A	
		AC110V ~ 220V		MAX. 0.095A	
VOLUME		MAX. 105dB at 1m			
PROTECTION GRADE		WATER & DUST PROOF - IP65			
CABLE ENTRY		ø10 CABLE ENTRY			



ISO2768-1 : CLASS OF TOLERANCE						SURFACE FINISH	-	-	-	-	1	-		
FOR LINEAR DIMENSIONS		f	m	Ⓒ	v		Nr.	DWG. NO.	TITLE/ NAME	MAT'L	QTY	REFERENCE		
	0.5~3	±0.05	±0.1	±0.2	-	DSND BY S.H.KIM	CHKD BY J.H.PARK	CHKD BY 	APRV BY J.K.HAN	VIEW 3	DATE 2019.03.20			
	3~6			±0.3	±0.5									
	6~30	±0.1	±0.2	±0.5	±1									
	30~120	±0.15	±0.3	±0.8	±1.5									
	120~400	±0.2	±0.5	±1.2	±2.5									
400~1000	±0.3	±0.8	±2	±4										
FOR ANGULAR DIMENSIONS	0~10	±1°		±1°30'	±3°	<div>TITLE<div>QAP125BZ OUTLINE DRAWING</div><div></div><div>MODEL<div>QAP125BZ</div></div></div>								
	10~50	±0°30'		±1°	±2°									
	50~120	±0°20'		±0°30'	±1°									
	120~400	±0°10'		±0°13'	±0°30'									
						DWG. NO. <div>QAP125BZ_OUT</div>			SCALE <div>N/S</div>			SIZE <div>A4</div>	REV <div>00</div>	SHEET <div>1/1</div>

**Qlight**

A4(297X210)